

Side-by-Side Dock Accessory Adapter

DA0114

Mounts to Dock Side Connector DA0068

Introduction

The Side-by-Side Dock Accessory Adapter is used only for side-by-side ShoreStation Dock layouts. The Adapter kit (DA0114) includes a mounting bracket and fasteners that attach directly to Dock Side Connector (DA0068) that is used to connect two side-by-side dock sections. This provides the option of placing dock accessories (flag pole, chair, etc) at the junction of side-by-side dock sections which is not possible with standard accessories.




The assembly process explained in this document should be performed by a qualified ShoreStation technician who understands the proper techniques and applications of the equipment used during the assembly process



WARNING

DO NOT ATTEMPT TO ASSEMBLE THIS PRODUCT WITHOUT FIRST STUDYING THIS MANUAL AND INFORMATION ON LABELS INCLUDED WITH THE SYSTEM. FAILURE TO DO SO CAN LEAD TO IMPROPER OPERATION RESULTING IN SERIOUS PERSONAL INJURY AND/OR PRODUCT DAMAGE. IF YOU HAVE FURTHER QUESTIONS AFTER REVIEWING THIS INFORMATION, CONTACT A SHORESTATION REPRESENTATIVE AT (800) 859-3028.

Safety Definitions

Safety messages are presented throughout this document and labels affixed to the product. The messages alert you to potential hazards to you and/or property. The signal words **DANGER**, **WARNING**, and **CAUTION** are preceded by an alert symbol  and communicate the severity of potential hazard. The severity of each type of message is defined as follows:

- **DANGER** indicates a hazardous situation which, if not avoided, will result in death or serious injury.
- **WARNING** indicates a hazardous situation which, if not avoided, could result in death or serious injury.
- **CAUTION**, used with the safety alert symbol, indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.

Safety Instructions

WARNING

- Remove any metallic objects from your person before working with DC or AC electrical components.
- Disconnect power from the lift and turn the key switch (if available) to the OFF position before working on the lift.
- Assembly and installation of this system may require working over water. Always wear a personal floatation device (PFD) when working over the water
- Always wear proper personal protective equipment such as safety glasses, gloves, hardhats, and clothing.
- Never work alone and observe safe lifting practices such as team lifting and proper lifting posture.
- Do NOT modify the equipment unless you have received direct written approval from the manufacturer (ShoreStation®).


Tools Required:

1/2 Wrench

Assembly Instructions

1 – Bracket Preparation

Put the 5/16-18 x 3-1/2 bolts through the square holes in the plate and fit the bolts around the Dock Side Connector (DA0068) as shown below.



2 – Add Bracket

Sandwich the Dockside Connector (DA0068) with the bracket and put the carriage bolts through square holes so it's level. Start the locknuts, make sure the bracket is all the way to the lower side on DA0068 (makes it easier to remove later), and tighten the locknuts.

